

Test Certificate No.:**VONDM220201.00****Nombre y dirección del solicitante:**
Name and address of the applicant:VONDOM, S.L.U.
Polígono 6, 16
46293 Beneixida - Valencia
(España/Spain)**Producto:**
Product:Módulo LED independiente
Independent LED Module**Marca:**
Trademark:**VONDOM®****Modelo(s) / Ref. de tipo:**
Model(s) / Type ref.:Ver página(s) siguiente(s)
See next page(s)**Valores y características principales:**
Ratings and principal characteristics:Ver página(s) siguiente(s)
See next page(s)**La/s muestra/s del producto se ha/n ensayado y se considera/n conforme/s con:**
The sample/s of the product was/were tested and found to be in conformity with Tested according to:ETSI EN 300 220-1 v3.1.1
ETSI EN 300 220-2 v3.2.1
*Article 3.2 Directive 2014/53/EU - RED*EN IEC 62031:2020 + A11:2021
EN 62471:2008
EN 62493:2015
*Article 3.1a Directive 2014/53/EU - RED*ETSI EN 301 489-1 V2.2.3
ETSI EN 301 489-1 V2.2.3
EN IEC 55015:2019 + A11:2020
EN IEC 61000-3-2:2019 + A1:2021
EN 61000-3-3:2013 + A1:2019 + A2:2021
EN 61547:2009
*Article 3.1b Directive 2014/53/EU - RED***Como se muestra en el Informe de Ensayo Ref. No.:**
As shown in the Test Report Ref. No.SAFEVONDM220201; EMCOVONDM220201;
EMCOVONDM220103.**Fecha/Date:** 29/11/2023**Firma/Signature:**

Página/Page: 1 de/of 4

David Latorre
(Documento firmado mediante firma electrónica)
(Document signed by means of electronic signature)

Test Certificate No.:**VONDM220201.00**

Detalles modelos*:
Model details*:

Valores y características principales:
Ratings and principal characteristics

220-240V~ 50/60Hz. 12W. Clase II. LED. IP65. ta 40°C.
220-240V~ 50/60Hz. 12W. Clase II. LED. IP65. ta 40°C.

Modelo/Ref. de tipo: [ver características]:
Model/Type ref: [see characteristics]:

VVAR00601	[LED RGBW]
VVAR00602	[LED RGBW]
VVAR01085	[LED RGBW]
VVAR01249	[LED RGBW]
VVAR01363	[LED RGBW]
VVAR01672	[LED RGBW]
VVAR01672	[LED RGBW]
VVAR02131	[LED RGBW]
VVAR02132	[LED RGBW]
VVAR02134	[LED RGBW]
VVAR02181	[LED RGBW]
VVAR02337	[LED RGBW]
VVAR02338	[LED RGBW]
VVAR01245	[LED RGBW]
VVAR01248	[LED RGBW]
VVAR01250	[LED RGBW]
VVAR01255	[LED RGBW]
VVAR01361	[LED RGBW]
VVAR02075	[LED RGBW]
VVAR02127	[LED RGBW]
VVAR02128	[LED RGBW]
VVAR02130	[LED RGBW]
VVAR02335	[LED RGBW]
VVAR02336	[LED RGBW]

Continúa en la página siguiente
Continued on next page

* Este certificado de ensayo se refiere solo a la(s) muestra(s) particular(es) sometida(s) a ensayo y a las secciones ensayadas tal y como se recoge en los citados informes de ensayo. / * This test certificate refers only to the particular sample(s) submitted for testing and sections tested as stated in the mentioned test reports.

Fecha/Date: 29/11/2023

Firma/Signature:

David Latorre
(Documento firmado mediante firma electrónica)
(Document signed by means of electronic signature)

Página/Page: 2 de/of 4

Test Certificate No.:**VONDM220201.00**

VVAR00706	[LED RGBW]
VVAR01133	[LED RGBW]
VVAR02133	[LED RGBW]
VVAR01246	[LED RGBW]
VVAR01252	[LED RGBW]
VVAR02129	[LED RGBW]

Valores y características principales:
Ratings and principal characteristics

100-240V~ 50/60Hz. Max. 12W x 2. Clase II. LED. IP65. ta 40°C.
100-240V~ 50/60Hz. Max. 12W x 2. Clase II. LED. IP65. ta 40°C.

Modelo/Ref. de tipo: [ver características]:
Model/Type ref: [see characteristics]:

VVAR02082	[LED RGBW]
VVAR02190	[LED RGBW]
VVAR02081	[LED RGBW]
VVAR02189	[LED RGBW]

Valores y características principales:
Ratings and principal characteristics

100-240V~ 50/60Hz. Max. 12W x 3. Clase II. LED. IP65. ta 40°C.
100-240V~ 50/60Hz. Max. 12W x 3. Clase II. LED. IP65. ta 40°C.

Modelo/Ref. de tipo: [ver características]:
Model/Type ref: [see characteristics]:

VVAR02085	[LED RGBW]
VVAR02084	[LED RGBW]
VVAR02367	[LED RGBW]

Continúa en la página siguiente
Continued on next page

Fecha/Date: 29/11/2023

Firma/Signature:

A handwritten signature in blue ink, appearing to read 'David Latorre', with a horizontal line underneath.

David Latorre
(Documento firmado mediante firma electrónica)
(Document signed by means of electronic signature)

Página/Page: 3 de/of 4

Test Certificate No.:**VONDM220201.00**

Valores y características principales:
Ratings and principal characteristics

100-240V~ 50/60Hz. Max. 12W x 4. Clase II. LED. IP65. ta 40°C.
100-240V~ 50/60Hz. Max. 12W x 4. Clase II. LED. IP65. ta 40°C.

Modelo/Ref. de tipo: [ver características]:
Model/Type ref: [see characteristics]:

VVAR02088 [LED RGBW]
VVAR02087 [LED RGBW]

Valores y características principales:
Ratings and principal characteristics

100-240V~ 50/60Hz. Max. 12W x 5. Clase II. LED. IP65. ta 40°C.
100-240V~ 50/60Hz. Max. 12W x 5. Clase II. LED. IP65. ta 40°C.

Modelo/Ref. de tipo: [ver características]:
Model/Type ref: [see characteristics]:

VVAR02092 [LED RGBW]
VVAR02090 [LED RGBW]

Fecha/Date: 29/11/2023**Firma/Signature:**

A handwritten signature in blue ink, appearing to read 'David Latorre'.

David Latorre
(Documento firmado mediante firma electrónica)
(Document signed by means of electronic signature)

Página/Page: 4 de/of 4

CERTIFICADO DE ENSAYO PARA EQUIPOS
ELÉCTRICOS

TEST CERTIFICATES FOR ELECTRICAL
EQUIPMENT

CERTIFICADO DE ENSAYO

TEST CERTIFICATE

Producto
Product

Módulo LED
LED module

Nombre y dirección del solicitante
Name and address of the applicant

VONDOM, S.L.U.
Avenida de Valencia, 3
46891 El Palomar – Valencia
(España/Spain)

Nombre y dirección del fabricante
Name and address of the manufacturer

Igual que el solicitante
Same as applicant

Nombre y dirección de la fábrica
Name and address of the factory

Igual que el solicitante
Same as applicant

Nota: Cuando haya más de una fábrica, por favor indicarlo en la página 2
Note: When more than one factory, please report on page 2

Valores y características principales
Ratings and principal characteristics

Módulo LED independiente. 220-240V~ 50/60Hz.
Clase II. 12W. Convertidor. IP65. ta +40°C.
Independent LED module. 220-240V~ 50/60Hz. Class II. 12W.
Convertor. IP65. ta +40°C.

Marca (si existe)
Trademark (if any)

VONDOM

Modelo / Ref. de tipo
Model / Type Ref.

VVAR01647

Información adicional (si es necesaria puede ser
indicada en la página 2)
Additional information (if necessary may also be
reported on page 2)

Una muestra del producto se ha ensayado y se
considera conforme con
A sample of the product was tested and found to be in
conformity with

EN 62031:2008 + A1:2013 + A2:2015
EN 62471:2008
EN 62493:2010
Harmonized standards under Directive 2014/35/EU – LVD

EN 55015:2013
EN 61000-3-2:2014
EN 61000-3-3:2013
EN 61547:2009
Harmonized standards under Directive 2014/30/EU – EMC

EN 55015:2013/A1:2015

Como se muestra en el Informe de Ensayo No. el cual
forma parte de este certificado
As shown in the Test Report Ref. No. which forms part
of this Certificate

SAFEVONDM170401.00; EMCOVONDM170401.00.

CERTIFICADO DE ENSAYO PARA EQUIPOS
ELÉCTRICOS

TEST CERTIFICATES FOR ELECTRICAL
EQUIPMENT

CERTIFICADO DE ENSAYO

TEST CERTIFICATE

Producto
Product

Módulo LED para incorporar
Built-in LED module

Nombre y dirección del solicitante
Name and address of the applicant

VONDOM, S.L.U.
Avenida de Valencia, 3
46891 El Palomar – Valencia
(España/Spain)

Nombre y dirección del fabricante
Name and address of the manufacturer

Igual que el solicitante
Same as applicant

Nombre y dirección de la fábrica
Name and address of the factory

Igual que el solicitante
Same as applicant

Nota: Cuando haya más de una fábrica, por favor indicarlo en la página 2
Note: When more than one factory, please report on page 2

Valores y características principales
Ratings and principal characteristics

Ver página 2
See page 2

Marca (si existe)
Trademark (if any)

VONDOM

Modelo / Ref. de tipo
Model / Type Ref.

Ver página 2
See page 2

Información adicional (si es necesaria puede ser
indicada en la página 2)
Additional information (if necessary may also be
reported on page 2)

Una muestra del producto se ha ensayado y se
considera conforme con
A sample of the product was tested and found to be in
conformity with

EN 62031:2008 + A1:2013
EN 62471:2008
EN 62493:2010
Directive (2014/35/EU) – LVD

EN 55015:2013
EN 61000-3-2:2006 + A1:2009 + A2:2009
EN 61000-3-3:2013
EN 61547:2009
Directive (2014/30/EU) – EMC

Como se muestra en el Informe de Ensayo No. el cual
forma parte de este certificado
As shown in the Test Report Ref. No. which forms part
of this Certificate

SAFEVONDM140101.00; EMCOVONDM140102.00;
F150220.

Detalles modelos:
Model details

Valores y características principales:
Ratings and principal characteristics

100-240V~ 50/60Hz. Clase II. LED. Convertidor electrónico. IP65.
100-240V~ 50/60Hz. Class II. LED. Electronic converter. IP65.

Modelo/s:
Model/s:

VVAR00445	VVAR01255	VVAR01645
VVAR00468	VVAR01361	VVAR01646
VVAR00549	VVAR01430	VVAR01672
VVAR01245	VVAR01431	VVAR01714+VVAR01814
VVAR01248	VVAR01432	VVAR01714+VVAR01815
VVAR01250	VVAR01519	VVAR01714+VVAR01816

Información adicional (si es necesaria)
Additional information (if necessary)



Firma/Signature: Jorge Hernández

(Documento firmado mediante firma electrónica)

(Document signed by means of electronic signature)

CERTIFICADO DE ENSAYO PARA EQUIPOS
ELÉCTRICOS

TEST CERTIFICATES FOR ELECTRICAL
EQUIPMENT

CERTIFICADO DE ENSAYO

TEST CERTIFICATE

Producto
Product

Luminaria portátil para empleo en jardines
Portable luminaire for garden use

Nombre y dirección del solicitante
Name and address of the applicant

VONDOM, S.L.U.
Avenida de Valencia, 3
46891 El Palomar – Valencia
(España/Spain)

Nombre y dirección del fabricante
Name and address of the manufacturer

Igual que el solicitante
Same as applicant

Nombre y dirección de la fábrica
Name and address of the factory

Igual que el solicitante
Same as applicant

Nota: Cuando haya más de una fábrica, por favor indicarlo en la página 2
Note: When more than one factory, please report on page 2

Valores y características principales
Ratings and principal characteristics

Ver página 2
See page 2

Marca (si existe)
Trademark (if any)

VONDOM

Modelo / Ref. de tipo
Model / Type Ref.

Ver página 2
See page 2

Información adicional (si es necesaria puede ser
indicada en la página 2)
Additional information (if necessary may also be
reported on page 2)

Una muestra del producto se ha ensayado y se
considera conforme con
A sample of the product was tested and found to be in
conformity with

EN 60598-1:2008 + A11:2009
EN 60598-2-7:1989 + A2:1996 + A13:1997 +
A2:1996/AC:1999
EN 60598-2-6:1994 + A1:1997
EN 62471:2008
EN 62493:2010
Directive (2014/35/EU) – LVD

EN 55015:2013
EN 61000-3-2:2006 + A1:2009 + A2:2009
EN 61000-3-3:2013
EN 61547:2009
Directive (2014/30/EU) – EMC

Como se muestra en el Informe de Ensayo No. el cual
forma parte de este certificado
As shown in the Test Report Ref. No. which forms part
of this Certificate

SAFEVONDM140102.00; SAFEVONDM140103.00;
SAFEVONDM140104.00; EMCOVONDM140102.00;
F150220.

Detalles modelos:

Model details

Valores y características principales:

Ratings and principal characteristics

100-240V~ 50/60Hz. Clase II. LED. Convertidor electrónico. IP65.

100-240V~ 50/60Hz. Class II. LED. Electronic converter. IP65.

Modelo/s:

Model/s:

VVAR01245+40112L	VVAR01245+41380L	VVAR01245+42219L	VVAR01245+44035L
VVAR01430+40116L	VVAR01245+41441L	VVAR01245+42301L	VVAR01245+44120L
VVAR00549+40120L	VVAR01245+41451L	VVAR01245+42302L	VVAR01245+44125L
VVAR01245+40150L	VVAR01245+41460L	VVAR01245+42303L	VVAR01245+44135L
VVAR01245+40160L	VVAR01245+41630L	VVAR01245+42304L	VVAR01245+44414L
VVAR01245+40180L	VVAR01245+41640L	VVAR01245+42305L	VVAR01245+44415L
VVAR01430+40312L	VVAR01245+41650L	VVAR01245+42306L	VVAR01245+44416L
VVAR01245+40340L	VVAR01430+42012L	VVAR01245+42307L	VVAR01245+44417L
VVAR01245+40350L	VVAR01245+42060L	VVAR01245+42308L	VVAR01245+44418L
VVAR01245+40360L	VVAR01245+42080L	VVAR01245+42309L	VVAR01245+44419L
VVAR01245+40380L	VVAR01245+42145L	VVAR01245+42310L	VVAR01245+44420L
VVAR01245+40441L	VVAR01245+42146L	VVAR01245+42311L	VVAR01430+44421L
VVAR01245+40451L	VVAR01245+42155L	VVAR01245+42312L	VVAR01245+45002L
VVAR01245+40460L	VVAR01245+42165L	VVAR01245+42313L	VVAR01245+45003L
VVAR01245+40535L	VVAR01245+42180L	VVAR01245+42314L	VVAR01245+45004L
VVAR01245+40540L	VVAR01245+42201L	VVAR01245+42315L	VVAR01245+45005L
VVAR01245+40550L	VVAR01245+42202L	VVAR01245+42316L	VVAR01245+45006L
VVAR01245+40560L	VVAR01245+42203L	VVAR01245+42317L	VVAR01245+45007L
VVAR01245+40612L	VVAR01245+42204L	VVAR01245+42318L	VVAR01245+45008L
VVAR01245+40650L	VVAR01245+42205L	VVAR01245+42319L	VVAR01430+45009L
VVAR01245+40660L	VVAR01245+42206L	VVAR01245+42425L	VVAR01245+45010L
VVAR01245+40680L	VVAR01245+42207L	VVAR01245+42430L	VVAR01245+45011L
VVAR01245+41140L	VVAR01245+42208L	VVAR01430+42620L	VVAR01245+45038L
VVAR01245+41150L	VVAR01245+42209L	VVAR01245+43340L	VVAR01245+45059L
VVAR01245+41160L	VVAR01245+42210L	VVAR01245+43640L	VVAR01245+45075L
VVAR01245+41180L	VVAR01245+42211L	VVAR01245+43650L	VVAR01245+45080L
VVAR01245+41235L	VVAR01245+42212L	VVAR01245+43860L	VVAR01245+45100L
VVAR01245+41245L	VVAR01245+42213L	VVAR01245+43880L	VVAR01245+45115L
VVAR01245+41255L	VVAR01245+42214L	VVAR01519+43912L	VVAR01245+46003L
VVAR01245+41330L	VVAR01245+42215L	VVAR01519+43960L	VVAR01245+46004L
VVAR01245+41340L	VVAR01245+42216L	VVAR01519+43980L	VVAR01245+46005L
VVAR01245+41350L	VVAR01245+42217L	VVAR01245+44020L	VVAR01245+46006L
VVAR01245+41360L	VVAR01245+42218L	VVAR01245+44025L	VVAR01887+46019L

Continúa en la página siguiente

Continued on next page

Información adicional (si es necesaria)

Additional information (if necessary)



Firma/Signature: Jorge Hernández

(Documento firmado mediante firma electrónica)

(Document signed by means of electronic signature)

VVAR01245+46028L	VVAR01245+51007L	VVAR01361+53033L	VVAR01245+54046L
VVAR01245+46033L	VVAR00630+51008AL	VVAR01245+53034L	VVAR01245+54047L
VVAR01245+46038L	VVAR01245+51008L	VVAR01245+53035L	VVAR01245+54048L
VVAR01361+46050L	VVAR01245+51009AL	VVAR01245+53036L	VVAR01245+54049L
VVAR01245+46075L	VVAR01245+51009CL	VVAR01245+54001L	VVAR00630+54050AL
VVAR01245+47038L	VVAR01245+51009EL	VVAR01245+54002L	VVAR01430+54050L
VVAR01245+47055L	VVAR01245+51009L	VVAR01245+54003L	VVAR00630+54051AL
VVAR01245+47056L	VVAR01245+51010CL	VVAR01245+54004L	VVAR01430+54051L
VVAR01245+47065L	VVAR01245+51010EL	VVAR01245+54005L	VVAR01245+54064L
VVAR01245+47068L	VVAR01245+51010L	VVAR01245+54006L	VVAR01245+54065L
VVAR01245+47081L	VVAR01245+51011L	VVAR01245+54007L	VVAR01245+54066L
VVAR01245+47082L	VVAR00630+51012L	VVAR01245+54008L	VVAR01245+54067L
VVAR01245+47083L	VVAR01245+51013L	VVAR01245+54009L	VVAR01245+54068L
VVAR01245+47084L	VVAR01245+51014L	VVAR01245+54010L	VVAR01245+54069L
VVAR01245+47085L	VVAR01245+51017CL	VVAR01245+54011L	VVAR01245+54070L
VVAR01245+47087L	VVAR01245+51017L	VVAR01245+54012L	VVAR01245+54071L
VVAR01245+47088L	VVAR01245+51018CL	VVAR01245+54013L	VVAR01245+54072L
VVAR01245+47089L	VVAR01245+51018EL	VVAR01245+54015L	VVAR01245+54073L
VVAR01245+47090L	VVAR01245+51018L	VVAR01245+54016AL	VVAR01245+54077L
VVAR01245+47091L	VVAR01245+51019AL	VVAR01245+54016L	VVAR01245+54078L
VVAR01430+47130L	VVAR01245+51019CL	VVAR01245+54017AL	VVAR01430+54079L
VVAR00630+47178L	VVAR01245+51019EL	VVAR01430+54017L	VVAR01430+54080L
VVAR01245+48030L	VVAR01245+51019L	VVAR01361+54018L	VVAR01430+54081L
VVAR01245+48040L	VVAR01245+51020EL	VVAR01245+54020L	VVAR01519+54082L
VVAR01245+48060L	VVAR01245+51020L	VVAR01245+54021L	VVAR00549+54083L
VVAR01245+49036L	VVAR01245+51022L	VVAR01245+54022L	VVAR01519+54086L
VVAR01245+49055L	VVAR01245+51024L	VVAR01245+54023L	VVAR01519+54098L
VVAR01245+49057L	VVAR01245+51030L	VVAR01430+54024L	VVAR01519+54103L
VVAR01245+49058L	VVAR01245+53001L	VVAR01430+54025L	VVAR00630+54104L
VVAR01245+49059L	VVAR01245+53002L	VVAR01245+54026L	VVAR00630+54105L
VVAR01245+49060L	VVAR01245+53003L	VVAR01430+54027L	VVAR00630+54107L
VVAR01245+49062L	VVAR01245+53004L	VVAR01430+54028L	VVAR00630+54108L
VVAR01245+49064L	VVAR01245+53005L	VVAR01245+54029L	VVAR01519+54109L
VVAR01245+49066L	VVAR01245+53006L	VVAR01245+54030L	VVAR00630+54111L
VVAR01245+49070L	VVAR01245+53007L	VVAR01245+54031L	VVAR00630+54112L
VVAR00630+49071L	VVAR01430+53008L	VVAR01245+54032L	VVAR00630+54113L
VVAR00630+49072L	VVAR01245+53009L	VVAR01245+54033L	VVAR00630+54114L
VVAR00630+49073L	VVAR00630+53010AL	VVAR01430+54034L	VVAR00630+54122L
VVAR01245+49074L	VVAR01430+53010L	VVAR01245+54035L	VVAR01430+54123L
VVAR01430+51001L	VVAR00630+53011AL	VVAR01245+54036L	VVAR01430+54124L
VVAR00549+51002L	VVAR00630+53011L	VVAR00630+54037L	VVAR01245+54132L
VVAR01245+51003L	VVAR01245+53013L	VVAR01245+54038L	VVAR01245+54133L
VVAR01245+51004L	VVAR01245+53031L	VVAR01245+54041L	VVAR01430+54134L
VVAR01245+51006L	VVAR01245+53032L	VVAR01245+54042L	VVAR01519+54135L

Continúa en la página siguiente
Continued on next page

Información adicional (si es necesaria)
Additional information (if necessary)



Firma/Signature: Jorge Hernández

(Documento firmado mediante firma electrónica)
(Document signed by means of electronic signature)

Fecha/Date: 09/11/2015

Página/Page 3 de/of 4

VVAR01519+54136L	VVAR01245+55021L	VVAR01714+VVAR01815+60006L
VVAR00630+54137L	VVAR00549+56001L	VVAR01714+VVAR01816+60006L
VVAR00630+54138L	VVAR00549+56002L	VVAR01714+VVAR01814+60007L
VVAR01519+54139L	VVAR01245+56006L	VVAR01714+VVAR01815+60007L
VVAR01245+55001L	VVAR01245+56007L	VVAR01714+VVAR01816+60007L
VVAR01245+55002L	VVAR01245+56008L	VVAR01245+61001L
VVAR01245+55003L	VVAR01245+56009L	VVAR01245+63001L
VVAR01245+55004L	VVAR01245+56010L	VVAR00549+63002L
VVAR01430+55005L	VVAR01430+56011L	VVAR01245+63003L
VVAR01245+55006L	VVAR01245+56012AL	VVAR01245+63004L
VVAR01245+55007L	VVAR01245+56012L	VVAR01245+63005L
VVAR01245+55008L	VVAR01245+56013L	VVAR01245+63006L
VVAR01245+55009L	VVAR01245+56014L	VVAR00630+64001L
VVAR01245+55010L	VVAR01361+57001L	VVAR00630+64002L
VVAR01245+55011L	VVAR01245+57002L	VVAR00630+64003L
VVAR01430+55012L	VVAR01245+57003L	VVAR00630+64004L
VVAR01245+55013L	VVAR01245+57004L	VVAR01519+65001L
VVAR01245+55014L	VVAR01245+58003L	VVAR00630+65007FL
VVAR00630+55015L	VVAR01245+58004L	VVAR00630+65007L
VVAR00549+55016L	VVAR01245+59002L	VVAR01245+65008L
VVAR01245+55017L	VVAR01245+59003L	VVAR00630+65018L
VVAR01245+55018L	VVAR01245+59004L	VVAR01245+65019L
VVAR01245+55019L	VVAR01245+59005L	VVAR01245+66005L
VVAR01245+55020L	VVAR01714+VVAR01814+60006L	

Información adicional (si es necesaria)
Additional information (if necessary)



Firma/Signature: Jorge Hernández

(Documento firmado mediante firma electrónica)

(Document signed by means of electronic signature)

CERTIFICATE OF COMPLIANCE

Certificate Number 20151214-E474992
Report Reference E474992-20151214
Issue Date 2015-DECEMBER-14

Issued to: VONDOM SLU
Avda Valencia 3
46891 Palomar SPAIN

This is to certify that representative samples of LIGHT-EMITTING-DIODE LUMINAIRES, PORTABLE Model RGB+WHITE LED LAMP. Suitable for wet locations.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 153, Portable Electric Luminaires.
CSA C22.2 No.12-1982, Portable Luminaires.
UL 8750, Light Emitting Diode (LED) Light Sources for Use in Lighting Products.

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



NOTICE OF COMPLETION
AND
AUTHORIZATION TO APPLY THE UL MARK



2017/06/15

Mr. MARC PERIS
VONDOM SLU
Avda Valencia 3
Palomar, 46891, ES

Our Reference: File E474992, Vol.1

Order: 11759950

Project: 4787972617.1.1

Your Reference: 05052017

Project Scope: 4787972617.1.1 - (QOVZ) Alternate Construction for WHITE LED LAMP

Dear Mr. MARC PERIS:

Congratulations! UL's investigation of your product(s) has been completed under the above Reference Number and the product was determined to comply with the applicable requirements. This letter temporarily supplements the UL Follow-Up Services Procedure and serves as authorization to apply the UL Mark at authorized factories under UL's Follow-Up Service Program. To provide your manufacturer(s) with the intended authorization to use the UL Mark, you must send a copy of this notice to each manufacturing location currently authorized under File E474992, Vol.1.

Records in the Follow-Up Services Procedure covering the product are now being prepared and will be sent in the near future. Until then, this letter authorizes application of the UL Mark for 90 days from the date indicated above.

Additional requirements related to your responsibilities as the Applicant can be found in the document "Applicant responsibilities related to Early Authorizations" that can be found at the following web-site: <http://www.ul.com/EAResponsibilities>

Any information and documentation provided to you involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL.

We are excited you are now able to apply the UL Mark to your products and appreciate your business. Feel free to contact me or any of our Customer Service representatives if you have any questions.

Very truly yours,

Reviewed by:

Jesus Serrano
Senior Project Engineer
Jesus.Serrano@ul.com

Bruce A. Mahrenholz
CPO Director
Bruce.A.Mahrenholz@ul.com

503a7219-8cb5-4d30-b668-06f453d20641



Certificate No. :BKC23031030CC

Certificate of Conformity

Applicant : VONDOM S.L.U.
Polígono 6, 16 | 46293 | Beneixida (Valencia) SPAIN

Product : Led light

Model(s) : VVAR02149

Test Standard : EN IEC 55015:2019+A11:2020
EN IEC 61000-3-2:2019+A1:2021
EN 61000-3-3:2013+A1:2019
EN 61547:2009

The Certificate of Conformity is based on an evaluation of a sample of the above mentioned products. It does not imply an assessment of the whole production. It is possible to use CE marking to demonstrate the compliance with this EMC Directive 2014/30/EU. It is only valid in connection with the test report number:BKC23031030CE.



Shenzhen BKC Testing Co., Ltd.

103, 1/F, Huaya Science Park, Longhua Community, Longhua District, Shenzhen,
Guangdong, China Tel:4000-875-382 0755-84829082

E-mail: bkc@bkc-lab.com Certificate Search: <http://www.bkc-lab.com>



JianYan Testing Group Co., Ltd.

VERIFICATION OF CONFORMITY

Verification No: JYT220521001-S01
Applicant: VONDOM S.L.U.
Address of Applicant: Polígono 6, 16 | 46293 | Beneixida (Valencia) SPAIN
Product Name: Led light
Model No.: VVAR02149

Trade Mark: /

Report No: JYT220521001-S
Requirements: EN 60598-1:2021
EN 60598-2-4:2018
EN 62493:2015
IEC TR 62778:2014

This Attestation implies that the examined types are in accordance with the standards designated under the Low Voltage Directive (LVD) 2014/35/EU

On the basis of the referenced test report(s), sample(s) tested of the below product have been found to comply with the standards harmonized with the regulation(s) listed on this verification at the time the tests were carried out. Other standards and Regulations may be relevant to the product.

Once compliance with all product relevant CE mark regulations are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).



Jack chen

Laboratory Manager



23 Apr. 2023

Copyright of this verification is owned by JianYan Testing Group Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Address: No.760, Fengling Road, Tongan District, Xiamen City, Fujian, China

Telephone: +86 (0) 5922273 072, Fax: +86 (0) 5922273 700, Website: <http://jyt.lets.com>, Email: jyt.tqd@lets.com

Control No.: JYT4b (E) -164-L